




SHAKTI ENTERPRISES
Playground, Fitness Equipment,
Rubberized EPDM Flooring & Turf



 9004431733
9869438592
9870546434

 shaktienterprisee@gmail.com
tejas.padalkar@gmail.com



www.theshaktienterprises.com



T - 4, Presswala Chawl, Bandongri
Pushpa Park, Malad (E),
Mumbai- 400097, India.

SHAKTI ENTERPRISES

Pledges to Make in India

Make in India is a major national program of the Government of India designed to facilitate investment, foster innovation, enhance skill development, protect intellectual property and build best in class manufacturing infrastructure in the country.

Shakti Enterprises pledges to MAKE IN INDIA as an indigenous company that has its roots dating back 20 years. Over the period, Shakti has assured to provide best quality and price for its products.

QUALITY ASSURANCE

We understand the importance of quality and hence, we have never compromised with the same at any point of time since the commencement of our business. Our products are manufactured using ISI quality raw materials such GI Pipe, Fiber, Plastic and Stainless Steel that ensure optimum durability and reliability. Apart from this, we have also appointed a team of Quality Inspectors, who not only keep a vigil eye on the procured raw materials but also monitor the entire manufacturing process. they test and design our products for various international and national quality parameters such as Fatigue, Durability, Robustness and others. To reduce the cost of the products and offer maximum quality, is the sole aim of our organization

ROBUST INFRASTRUCTURE

Our company boasts of a state-of-the-art infrastructure, which is well equipped with all latest equipment and machines for manufacturing world class children playground equipment. We have segregated our infrastructural set-up into various divisions that comprises designing unit, manufacturing unit, research & development, quality test and warehouse. With the help our modern machines, our experts design and develop optimum quality products that are appreciated among our clients. These products are developed after various research activities, conducted at our R&D wing. Our researchers work in close coordination with our products engineers and ensure exact execution of the manufacturing process.

Slides





FRP STRAIGHT SLIDE 7FT.HT.
AREA REQUIRED: W 2.5FT X L 20FT



FRP STRAIGHT SLIDE 5FT.HT.
AREA REQUIRED: W 2.5FT X L 16FT



FRP WAVE SLIDE 7FT.HT.
AREA REQUIRED: W 2.5FT X L 20FT



FRP WAVE SLIDE 5FT.HT.
AREA REQUIRED: W 2.5FT X L 16FT



ROLLER SLIDE 7FT.HT.
AREA REQUIRED: W 2.5FT X L 22FT



FRP SPIRAL SLIDE 7FT.HT.
AREA REQUIRED: W 06FT X L 12FT



FRP STRAIGHT & WAVE SLIDE 5FT.HT.
AREA REQUIRED: W 05FT X L 16FT



FRP STRAIGHT SLIDE 3FT.HT.
AREA REQUIRED: W 02FT X L 8FT




FRP WIDE SLIDE 3.5 FT.HT.
AREA REQUIRED: W 04FT X L 12FT



FRP TUBE SLIDE 5FT.HT.
AREA REQUIRED: W 18FT X L 20FT

Swings





DOUBLE SEATER SWING 7FT.HT.
AREA REQUIRED: W 05FT X L 8.5FT



ARC SWING 7FT.HT.
AREA REQUIRED: W 3.5FT X L 8.5FT



TRIPPLE SWING 7FT.HT.
AREA REQUIRED: W 05FT X L 12FT



FOUR-SEATER SWING 7FT.HT.
AREA REQUIRED: W 05FT X L 16FT



DUAL SWING 7FT.HT.
AREA REQUIRED: W 05FT X L 8.5FT



BUCKET SWING 5FT.HT.
AREA REQUIRED: W 02FT X L 6FT



CIRCULAR SWING 5FT.HT.
AREA REQUIRED: W 04FT X L 6FT



BIG CIRCULAR SWING 5FT.HT.
AREA REQUIRED: W 05FT X L 7FT



FAMILY SWING WITH ROOF
AREA REQUIRED: W 05FT X L 10FT



FAMILY SWING WITHOUT ROOF
AREA REQUIRED: W 05FT X L 8.5FT



4-SEATER SWING 5FT. HT (FRP SEAT)
AREA REQUIRED: W 02FT X L 10FT



4-SEATER SWING 5FT. HT (RUBBER SEAT)
AREA REQUIRED: W 02FT X L 10FT

See-Saw





4-SEATER SEESAW
AREA REQUIRED: W 04FT X L 8FT



2-SEATER SEESAW
AREA REQUIRED: W 01FT X L 8FT



4-SEATER BUCKET DOUBLE SEESAW
AREA REQUIRED: W 04FT X L 8FT



4-SEATER BUCKET SINGLE SEESAW
AREA REQUIRED: W 04FT X L 8FT



SPRING DUCK
AREA REQUIRED: W 02FT X L 3FT



BOAT ROCKER
AREA REQUIRED: W 02FT X L 4FT

Meri-Go-Round





MERIGOROUND FRP
AREA REQUIRED: 5.5 FT DIAMETER



MERIGOROUND FRP 4-SEATER
AREA REQUIRED: 5.5 FT DIAMETER



MERIGOROUND FRP BUCKET SEAT
AREA REQUIRED: 5.5 FT DIAMETER



MERIGOROUND FRP ANIMAL
AREA REQUIRED: 5.5 FT DIAMETER



MERIGOROUND FRP ANIMAL BIG
AREA REQUIRED: 5.5 FT DIAMETER



JOGGING DRUM
AREA REQUIRED: W 02FT X L 06FT

Climbers





STRAIGHT CLIMBER 7FT.HT.
AREA REQUIRED: W 02FT X 08FT



ARC CLIMBER 7FT.HT.
AREA REQUIRED: W 02FT X 08FT



CRISS-CROSS CLIMBER 7FT.HT.
AREA REQUIRED: W 06FT X L 06FT



LOOP CLIMBER 7FT.HT.
AREA REQUIRED: W 04FT X L 8.5FT



A TO B CLIMBER 5FT.HT.
AREA REQUIRED: W 02FT X L 8.5FT



TARZEN CLIMBER 7FT.HT.
AREA REQUIRED: W 04FT X L 8.5FT



TRIPPEL ARC CLIMBER 7FT.HT.
AREA REQUIRED: W 10FT X L 10FT



SATELLITE CLIMBER 13FT.HT.
AREA REQUIRED: W 10FT X L 10FT



TURBO CLIMBER 7FT.HT.
AREA REQUIRED: W 10FT X L 10FT



FOUR WAY ARC CLIMBER 12FT.HT.
AREA REQUIRED: W 10FT X L 10FT



PARALLAL DOUBLE BAR 4FT.HT.
AREA REQUIRED: W 2.5FT X L 8.5FT



PULL-UP BAR 8FT.HT.
AREA REQUIRED: W 06FT X L 08FT



STRAIGHT NET CLIMBER 7FT.HT.
AREA REQUIRED: W 06FT X L 8.5FT



PYRAMID NET CLIMBER 7FT.HT.
AREA REQUIRED: W 04FT X L 8.5FT



DUAL CLIMBER ROPE & ROCK 7FT.HT.
AREA REQUIRED: W 05FT X L 05FT



ROCK CLIMBER 7FT.HT.
AREA REQUIRED: W 04FT X L 05FT



SUSPENSION BRIDGE 10FT.HT.
AREA REQUIRED: W 4.5FT X L 10FT



TRAMPOLINE 8FT.DIAMETER.
AREA REQUIRED: W .5FT X L 10FT



BALANCING BRIDGE 08FT.HT.
AREA REQUIRED: W 4.5FT X L 15FT



TUNNEL FRP 4.5FT.HT.
AREA REQUIRED: W 4.5FT X L 6.5FT



FUNNEL BALL 7.5 FT.HT.
AREA REQUIRED: W 2.5FT X L 2.5FT



CAPSULE CLIMBER 7FT.HT.
AREA REQUIRED: W 2.5FT X L 2.5FT

Multi Play Unit





MULTI-PLAY UNIT 001
AREA REQUIRED: W 16 FT X L 17FT



MULTI-PLAY UNIT 002
AREA REQUIRED: W 21 FT X L 17FT



MULTI-PLAY UNIT 003
AREA REQUIRED: W 16 FT X L 17FT



MULTI-PLAY UNIT 004
AREA REQUIRED: W 16 FT X L 32FT



MULTI-PLAY UNIT 005
AREA REQUIRED: W 18 FT X L 21FT



MULTI-PLAY UNIT 006
AREA REQUIRED: W 21 FT X L 20FT



MULTI-PLAY UNIT 007
AREA REQUIRED: W 30FT X L 30FT



MULTI-PLAY UNIT 008
AREA REQUIRED: W 25FT X L 25FT



MULTI-PLAY UNIT 009
AREA REQUIRED: W 25FT X L 26FT



MULTI-PLAY UNIT 010
AREA REQUIRED: W 22FT X L 27FT



MULTI-PLAY UNIT 011
AREA REQUIRED: W 30FT X L 30FT



MULTI-PLAY UNIT 012
AREA REQUIRED: W 30FT X L 32FT



MULTI-PLAY UNIT 013
AREA REQUIRED: W 24FT X L 36 FT



MULTI-PLAY UNIT 014
AREA REQUIRED: W 30FT X L 30FT



MULTI-PLAY UNIT 015
AREA REQUIRED: W 22 FT X L 33FT



MULTI-PLAY UNIT 016
AREA REQUIRED: W 22 FT X L 33 FT



MULTI-PLAY UNIT 017
AREA REQUIRED: W 22 FT X L 33FT



MULTI-PLAY UNIT 018
AREA REQUIRED: W 22FT X L 34FT

Benches





FRP CASTING BENCH 1
AREA REQUIRED: W 2.5FT X L 5.5FT



FRP CASTING BENCH 2
AREA REQUIRED: W 2.5FT X L 5.5FT



FRP CASTING BENCH 3
AREA REQUIRED: W 2.5FT X L 2.5FT



FRP & MS FLAT BENCH
AREA REQUIRED: W 2.5FT X L 5.5FT



FRP & GI PIPE BENCH 1
AREA REQUIRED: W 2.5FT X L 5.5FT



FRP & GI PIPE BENCH 2
AREA REQUIRED: W 2.5FT X L 5.5FT



FRP & MS PIPE BENCH
AREA REQUIRED: W 2.5FT X L 5.5FT



FULL FRP BENCH
AREA REQUIRED: W 2.5FT X L 5.5FT



FRP PLANK BENCH WITH SHED
AREA REQUIRED: W 3.5FT X L 6.5FT



FULL PLANK BENCH
AREA REQUIRED: W 2.5FT X L 5.5FT



MS PIPE BENCH 1
AREA REQUIRED: W 2.5FT X L 5.5FT



MS PIPE BENCH 2
AREA REQUIRED: W 2.5FT X L 5.5FT

Outdoor Fitness Equipment

SHAKTI ENTERPRISES
Presswala Chawl, Bandongri, Pushpa-Park, Daffari Road, Malad (E), Mumbai – 400097.
MANUFACTURER'S OF OUTDOOR FITNESS EQUIPMENTS.
☎ 9869438592, 9004431733 (Mobile)

The image displays a variety of outdoor fitness equipment, each with a label above it. The equipment includes:

- AERO RIDDER**: A red and yellow machine for cardio and leg exercise.
- FOREARM TWIRL**: A red machine with two yellow hand wheels for forearm strengthening.
- AB BOARD**: A red wooden plank on a metal frame for abdominal exercises.
- AERIAL STROLLER**: A red machine with yellow handles for upper body and core work.
- CHEST PRESS**: A red machine with yellow handles for chest and arm exercises.
- SHOULDER TWIRL**: A red machine with a large yellow wheel for shoulder rotation.
- LEG PRESS**: A red machine with yellow handles for leg and glute strengthening.
- OVATE STEPPER**: A red machine with yellow handles for stepping and cardio.
- CYCLE**: A red and yellow stationary bike for cardio.
- HIP TWISTER**: A red machine with yellow handles for hip and core rotation.




AB BOARD
 AREA REQUIRED: W 2.5FT X L 5.5FT



AERIAL STROLLER
 AREA REQUIRED: W 2.5FT X L 5.5FT



AERO RIDDER
 AREA REQUIRED: W 2.5FT X L 5.5FT




HIP TWISTER
 AREA REQUIRED: W 2.5FT X L 5.5FT



FORAM TWIRL
 AREA REQUIRED: W 2.5FT X L 5.5FT




OVATE STEPPER
 AREA REQUIRED: W 2.5FT X L 5.5FT



CHEST PRESS
AREA REQUIRED: W 2.5FT X L 5.5FT



LEG PRESS
AREA REQUIRED: W 2.5FT X L 5.5FT



SHOULDER EXERCISE
AREA REQUIRED: W 2.5FT X L 5.5FT



SHOULDER TWIRL
AREA REQUIRED: W 2.5FT X L 5.5FT



CYCLE
 AREA REQUIRED: W 2.5FT X L 5.5FT



MULTI FITNESS EQUIPMENT 1
 AREA REQUIRED: W 4.5FT X L 5.5FT




MULTI FITNESS EQUIPMENT 2
 AREA REQUIRED: W 4.5FT X L 5.5FT



CHIN-UP BAR
 AREA REQUIRED: W 1.5FT X L 8.5FT

EPDM Flooring & Turf





EPDM RUBBERISED FLOORING FOR CHILDREN PLAY AREA



EPDM RUBBERISED FLOORING FOR CHILDREN PLAY AREA



EPDM RUBBERISED FLOORING FOR CHILDREN PLAY AREA



ARTIFICIAL TURF
ARTIFICIAL LANDSCAPING GRASS



EPDM RUBBERISED FLOORING FOR MULTI ACTIVITIES



EPDM RUBBER TILES FOR GYM AND INDOOR MULTI ACTIVITIES

SHAKTI ENTERPRISES

MANUFACTURER'S OF GARDEN PLAY EQUIPMENTS, OUTDOOR FITNESS EQUIPMENTS & RUBBERISED FLOORING.

Presswala Chawl, Bandongri, Pushpa-Park, Dafftari Road, Malad (E), Mumbai – 400097.

CONTACT DETAILS: 9004431733,9869438592,9870546434

CHILDREN PLAY EQUIPMENTS & OUTDOOR FITNESS EQUIPMENTS SPECIFICATION

- ✓ ALL THE PIPES USED ARE GALVANISED PIPES.
- ✓ ALL THE CHAIN, NUT BOLTS USED ARE GALVANISED
- ✓ ALL VERTICAL SUPPORTS HAVE HOLE FAST OR BASE PLATES FOR BETTER FOUNDATION.
- ✓ ALL MOVING PARTS ARE FITTED WITH BEARING ASSEMBLY FOR SMOOTH MOVEMENT.
- ✓ ALL BEARINGS USED ARE OF STANDERD MAKE (NBC OF SKF).
- ✓ ALL FABRICATED EQUIPMENTS ARE POWDER COATED WITH ATTRACTIVE COLOURS.
- ✓ ALL FIBER GLASS MATERIAL IS OF STANDERD QUALITY AND IF ISI MARK.
- ✓ ORIGINAL COLOUR PIGMENTS ARE USED WHILE MAKING FRP PARTS.

EPDM RUBBER FLOORING SPECIFICATION

- ✓ THICKNESS 25MM, 36MM
- ✓ BASE LAYER IS OF SBR RUBBER BUFING
- ✓ TOP LAYER IS 6MM EPDM GRANUELS
- ✓ IT IS UV RESISTANCE CUSHION FLOORING
- ✓ VIBRENT COLOURS IN EPDM ARE USED.
- ✓ ANTI SLIP, FOOT GRIP, SCRATCH RESISTANT, WATER RESISTANT & HIGH IMPACT RESISTANT.

ARTIFICIAL LANDSCAPING GRASS (TURF) SPECIFICATION

- ✓ THICKNESS 25MM, 35MM, 45MM
- ✓ 100% UV TREATED ASTRO TURF
- ✓ DENSITY: 16800
- ✓ SIZE: 2 X 25 METER
- ✓ DETECH: 8800
- ✓ FOR ALL TYPE OF CROSSFIT FUNCTIONAL TRAINING NEEDS.
- ✓ TURF RESISTANCE WEAR & TEAR

TERMS AND CONDITIONS

- ✓ ABOVE MENTIONED COST IS EXCLUDING GST.
- ✓ FOR CHILDREN PLAY EQUIPMENTS 12% GST IS APPLICABLE.
- ✓ FOR OUTDOOR FITNESS EQUIPMENTS 18% GST IS APPLICABLE
- ✓ FOR EPDM FLOORING AND ARTIFICIAL TURF 18% GST IS APPLICABLE.
- ✓ TRANSPORTATION WILL BE CHARGED AS PER DESTINATION
- ✓ INSTALLATION OF THE MATERIAL WILL COST EXTRA (CIVIL MATERIAL & CIVIL LABOUR)
- ✓ RETENSION AMOUNT SHOULD NOT BE KEPT AFTER ERECTION OF THE MATERIAL.

ALL THE EQUIPMENTS ARE DESIGNED AND MANUFACTURED LOOKING AT THE SAFETY OF CHILDRENS.